

To: "Willard Potter" [otto@demaximis.com]; ugenia Naranjo/R2/USEPA/US@EPA[]
Cc: Stephanie Vaughn/R2/USEPA/US@EPA[]
From: "Robert Law"
Sent: Fri 11/30/2012 4:00:54 PM
Subject: Re: Fw: next routine svCWCM event

AECOM is planning for D/Fs and PCBs in the Bay for the week of Dec 10.

>>> <Naranjo.Eugenia@epamail.epa.gov> 11/29/2012 5:07 PM >>>
FYI.

Eugenia Naranjo
United States Environmental Protection Agency
290 Broadway
New York, NY 10007-1866
212-637-3467
Naranjo.Eugenia@epa.gov
----- Forwarded by Eugenia Naranjo/R2/USEPA/US on 11/29/2012 05:06 PM -----

From: Eugenia Naranjo/R2/USEPA/US
To: Carlie Thompson <carlie.thompson@tierra-inc.com>
Cc: Clifford Firstenberg <Clifford.Firstenberg@tierra-inc.com>, Ray Basso/R2/USEPA/US@EPA
Date: 11/29/2012 05:06 PM
Subject: next routine svCWCM event

Carlie,
In light of the extreme tidal surge and current conditions associated with Hurricane Sandy, contaminated sediments may have been resuspended in the Passaic River and Newark Bay causing elevated contaminant concentrations.
Given this extreme condition, the Agency has determined it is appropriate to again include measurements for Dioxin and PCB concentrations in the water column consistent with the Small Volume Chemical Water Column QAPP during the next routine event.
Let me know if you have any questions.
eugenia

Eugenia Naranjo
United States Environmental Protection Agency
290 Broadway
New York, NY 10007-1866
212-637-3467
Naranjo.Eugenia@epa.gov